

Performance Curves for the 370 Series


MODEL/SIZE	R.P.M.	CATALOG PAGE	PDF PAGE
1-1/2 x 3 x 10	3500	401	2
1-1/2 x 3 x 10	1750	402	3
2 x 4 x 10	3500/1750	403	4

1-1/2 x 3 x 10 SERIES 370

ENCLOSED IMPELLER

Supersedes Section 370 Page 401
Dated August 1982


SIZE : 1-1/2x3x10 TYPE : 370 IMPELLER : Enclosed R. P. M. : 3500



3PC-118840-1A

3500
R.P.M

SIZE : 1-1/2x3x10 TYPE : 370 IMPELLER : Enclosed R. P. M. : 3500



3PC-118840-2A

3500
R.P.M

1-1/2 x 3 x 10 SERIES 370

ENCLOSED IMPELLER

SIZE : 1-1/2x3x10


TYPE : 370

IMPELLER : Enclosed

R. P. M. : 1750

MAX. SPHERES .25 IN
 IMP. PATT. NO. 444A165/166
 CASE PATT. NO. 180A250
 POWER FRAME 2
 MIN. IMP. DIA. 6.5 IN

**1750
R.P.M**



3PC-118841A

2 x 4 x 10 SERIES 370


ENCLOSED IMPELLER

SIZE : 2x4x10

TYPE : 370

IMPELLER : Enclosed

R. P. M. : 3500



PC-124463A


3500
R.P.M

SIZE : 2x4x10

TYPE : 370

IMPELLER : Enclosed

R. P. M. : 1750



PC-124464A

1750
R.P.M